## IN THE CLAIMS

Please amend the claims as follows:

Claims 1-12 (Canceled).

13. (Currently amended) A method of for protecting a plant from insects comprising: treating preparing the plant with a composition comprising at least one insecticidal isolated polypeptide, which is obtained from the seeds of a legume and wherein the polypeptide is defined by a sequence of formula I (SEQ ID NO: 1): having a sequence of the formula I: X<sub>1</sub>CX<sub>2</sub>CX<sub>3</sub>CX<sub>4</sub>CX<sub>5</sub>CX<sub>6</sub>CX<sub>7</sub>, and having an insecticidal activity;

contacting a plant with the composition; and

permitting the polypeptide to exhibit insecticidal activity by interacting with an insect wherein said sequence the polypeptide has at least 60% identity with SEQ ID NO:6 or SEQ ID NO:7-;

wherein the polypeptide is soluble in 60% methanol;

wherein C represents a cysteine residue;  $X_1$  represents a dipeptide,  $X_2$  represents a tripeptide,  $X_3$  represents a heptapeptide,  $X_4$  represents a tetrapeptide,  $X_5$  represents an amino acid,  $X_6$  represents a nonapeptide, and  $X_7$  represents a pentapeptide and

wherein  $X_1$  satisfies the sequence  $y_1y_2$  wherein  $y_1$  and  $y_2$  each represent an amino acid selected from the group consisting of alanine, serine, glycine and threonine; or  $y_1$  represents an amino acid selected from the group consisting of alanine, serine, glycine and threonine, and  $y_2$  represents glutamic acid or aspartic acid;

$X_2$ satisfies the sequence $y_3y_4y_5$ wherein $y_3$ represents glutamine or
asparagine, and y <sub>4</sub> and y <sub>5</sub> each represent an amino acid selected from the group consisting of
alanine, serine, glycine, threonine, valine, leucine, isoleucine and methionine;

 $X_3$  satisfies the sequence  $y_6y_7y_8y_9y_{10}y_{11}y_{12}$  wherein  $y_6$  represents an amino acid selected from the group consisting of alanine, serine, glycine and threonine,  $y_7$ ,  $y_{11}$  and

Application No. 09/674,496

Reply to Office Action of April 26, 2005

 $y_{12}$  each represent proline,  $y_8$  represents an amino acid selected from the group consisting of phenylalanine, tryptophan and tyrosine,  $y_9$  represents aspartic acid or glutamic acid, and  $y_{10}$  represents an amino acid selected from the group consisting of valine, leucine, isoleucine and methionine;

 $X_4$  satisfies the sequence  $y_{13}y_{14}y_{15}y_{16}$ , wherein  $y_{13}$ ,  $y_{14}$ ,  $y_{15}$  and  $y_{16}$  each represent an amino acid selected from the group consisting of alanine, serine, glycine and threonine, or  $y_{14}$  represents an amino acid selected from the group consisting of alanine, serine, glycine and threonine,  $y_{13}$  and  $y_{15}$  each represent a basic amino acid, and  $y_{16}$  represents aspartic acid or glutamic acid;

X<sub>5</sub> represents a basic amino acid;

X<sub>6</sub> satisfies the sequence y<sub>17</sub>y<sub>18</sub>y<sub>19</sub>y<sub>20</sub>y<sub>21</sub>y<sub>22</sub>y<sub>23</sub>y<sub>24</sub>y<sub>25</sub>, wherein y<sub>17</sub>, y<sub>19</sub>, y<sub>21</sub> and y<sub>23</sub> each represent an amino acid selected from the group consisting of valine, leucine, isoleucine and methionine, y<sub>18</sub> represents proline, y<sub>20</sub> and y<sub>24</sub> each represent an amino acid selected from the group consisting of alanine, serine, glycine and threonine, y<sub>22</sub> represents an amino acid selected from the group consisting of valine, leucine, isoleucine, methionine, phenylalanine, tryptophan and tyrosine, and y<sub>25</sub> represents an amino acid selected from the group consisting of phenylalanine, tryptophan and tyrosine;

X<sub>7</sub> satisfies the sequence y<sub>26</sub>y<sub>27</sub>y<sub>28</sub>y<sub>29</sub>y<sub>30</sub> wherein y<sub>26</sub> represents a basic amino acid or an amino acid selected from the group consisting of valine, leucine, isoleucine and methionine, y<sub>27</sub> represents asparagine or glutamine or a basic amino acid, y<sub>28</sub> represents proline, and y<sub>29</sub> and y<sub>30</sub> each represent an amino acid selected from the group consisting of alanine, serine, glycine and threonine.

Claims 14 -17 (Canceled).

Application No. 09/674,496 Reply to Office Action of April 26, 2005

- 18. (Previously Presented) The method of Claim 13, wherein said plant is a cereal producing plant.
- 19. (Previously Presented) The method of Claim 13, wherein said polypeptide is present in a concentration of 10  $\mu$ mol/kg to 100 mmol/kg.
- 20. (Previously Presented) The method of Claim 19, wherein said polypeptide is present in a concentration of 50  $\mu$ mol/kg to 10 mmol/kg.

Claims 21-26 (Canceled).

- 27. (Previously Presented) The method of Claim 13, wherein the at least one insecticidal polypeptide is selected from the group consisting of SEQ ID NO:6, SEQ ID NO:7, and SEQ ID NO:8.
- 28. (Previously Presented) The method of Claim 2713, wherein the at least one insecticidal polypeptide is SEQ ID NO:6.
- 29. (Previously Presented) The method of Claim 2713, wherein the at least one insecticidal polypeptide is SEQ ID NO:7.
- 30. (Currently amended) The method of Claim 2713, wherein the at least one insecticidal polypeptide is SEQ ID NO:8.
- 31. (Withdrawn Currently amended) The method of Claim 13, wherein said polypeptide is used for protecting cereal seeds or products derived from cereal seeds, against insect pests.

A method for protecting cereal seeds or products derived from cereal seeds against an insect pest comprising:

preparing a composition comprising at least one isolated polypeptide, wherein the polypeptide is defined by SEQ ID NO: 1 having a sequence of the formula I:

X<sub>1</sub>CX<sub>2</sub>CX<sub>3</sub>CX<sub>4</sub>CX<sub>5</sub>CX<sub>6</sub>CX<sub>7</sub>, and having an insecticidal activity;

contacting the cereal seeds or the products derived from cereal seeds with the composition; and

permitting the polypeptide to exhibit insecticidal properties by interacting with an insect

wherein the polypeptide has at least 60% identity with SEQ ID NO:6 or SEQ ID NO:7;

wherein the polypeptide is soluble in 60% methanol;

wherein C represents a cysteine residue;

wherein  $X_1$  satisfies the sequence  $y_1y_2$  wherein  $y_1$  and  $y_2$  each represent an amino acid selected from the group consisting of alanine, serine, glycine and threonine; or  $y_1$  represents an amino acid selected from the group consisting of alanine, serine, glycine and threonine, and  $y_2$  represents glutamic acid or aspartic acid;

 $X_2$  satisfies the sequence  $y_3y_4y_5$  wherein  $y_3$  represents glutamine or asparagine, and  $y_4$  and  $y_5$  each represent an amino acid selected from the group consisting of alanine, serine, glycine, threonine, valine, leucine, isoleucine and methionine;

 $X_3$  satisfies the sequence  $y_6y_7y_8y_9y_{10}y_{11}y_{12}$  wherein  $y_6$  represents an amino acid selected from the group consisting of alanine, serine, glycine and threonine,  $y_7$ ,  $y_{11}$  and  $y_{12}$  each represent proline,  $y_8$  represents an amino acid selected from the group consisting of phenylalanine, tryptophan and tyrosine,  $y_9$  represents aspartic acid or glutamic acid, and  $y_{10}$  represents an amino acid selected from the group consisting of valine, leucine, isoleucine and methionine;

 $X_4$  satisfies the sequence  $y_{13}y_{14}y_{15}y_{16}$ , wherein  $y_{13}$ ,  $y_{14}$ ,  $y_{15}$  and  $y_{16}$  each represent an amino acid selected from the group consisting of alanine, serine, glycine and threonine, or  $y_{14}$  represents an amino acid selected from the group consisting of alanine,

serine, glycine and threonine,  $y_{13}$  and  $y_{15}$  each represent a basic amino acid, and  $y_{16}$  represents aspartic acid or glutamic acid;

X<sub>5</sub> represents a basic amino acid;

 $X_6$  satisfies the sequence  $y_{17}y_{18}y_{19}y_{20}y_{21}y_{22}y_{23}y_{24}y_{25}$ , wherein  $y_{17}$ ,  $y_{19}$ ,  $y_{21}$  and  $y_{23}$  each represent an amino acid selected from the group consisting of valine, leucine, isoleucine and methionine,  $y_{18}$  represents proline,  $y_{20}$  and  $y_{24}$  each represent an amino acid selected from the group consisting of alanine, serine, glycine and threonine,  $y_{22}$  represents an amino acid selected from the group consisting of valine, leucine, isoleucine, methionine, phenylalanine, tryptophan and tyrosine, and  $y_{25}$  represents an amino acid selected from the group consisting of phenylalanine, tryptophan and tyrosine;

 $X_7$  satisfies the sequence  $y_{26}y_{27}y_{28}y_{29}y_{30}$  wherein  $y_{26}$  represents a basic amino acid or an amino acid selected from the group consisting of valine, leucine, isoleucine and methionine,  $y_{27}$  represents asparagine or glutamine or a basic amino acid,  $y_{28}$  represents proline, and  $y_{29}$  and  $y_{30}$  each represent an amino acid selected from the group consisting of alanine, serine, glycine and threonine.